

Transit Cargo Van and Chassis Cab

2024.75MY



5 YEAR
150,000
KILOMETRE
WARRANTY
WHICHEVER COMES FIRST

Ford

2024.75MY Transit Cargo Van and Chassis Cab Specifications – visit ford.co.nz for more info.



350L Van



350L Van AWD



420L Van BEV



430E Van



430E Chassis Cab

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 430E	TRANSIT CARGO CHASSIS CAB 430E
Fuel Economy & Emissions					
Fuel	Diesel	Diesel	Electric Powered	Diesel	Diesel
Fuel Tank Capacity (Litres)	70	70	-	70	70
AdBlue – 21L Tank	S	S	-	S	S
Driver Assist, Safety & Security ¹					
Airbags – Driver & Front Passenger	S	S	S	S	S
Airbags – Driver & Front Passenger Side Thorax	S	S	S	S	S
Airbags – Front Side Curtain	S	S	S	S	S
Pre Collision Assist (AEB with Pedestrian Detection) w/ Junction Assist	S	S	S	S	S
Reverse Brake Assist	S	S	S	S	-
Anti-Lock Braking System (ABS)	S	S	S	S	S
Electronic Brakeforce Distribution (EBD)	S	S	S	S	S
Emergency Brake Assist (EBA)	S	S	S	S	S
Blind Spot Monitoring System (BLIS) w/ Cross Traffic Alert & Lane Change Warning	S	S	S	S	S
Intelligent Adaptive Cruise Control w/ Adjustable Speed Limiting Device ⁹	S	-	S	-	-
Adaptive Cruise Control w/ Adjustable Speed Limiting Device	-	S	-	S	S
Curve Control	S	S	S	S	S
Electronic Stability Program (ESP)	S	S	S	S	S
Emergency Brake Light Flashing	S	S	S	S	S
Hill launch Assist	S	S	S	S	S
Side Wind Stabilisation Assist	S	S	S	S	S
Lane Departure Warning w/ Driver Alert System	S	S	S	S	S
Lane Keeping Aid	-	-	-	-	S
Lane Change Warning + Aid	S	S	S	S	-
Load Adaptive Control	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S
Roll Stability Control	S	S	S	S	S
Commercial Rating – Euro NCAP	Gold	Gold	Gold	Gold	Gold
Beltminder™ Seatbelt System (Driver & Passenger)	S	S	S	S	S
Torque Vectoring Control	S	S	S	S	S
Traction Control System (TCS)	S	S	S	S	S
Front & Rear Parking Sensors	S	S	S	S	-
Side Parking Sensors	S	S	S	-	-
360° Camera	S	S	S	S	-
Reverse Camera Pre Wiring Prep Kit	-	-	-	-	S
Passive Anti-Theft System (PATS)	S	S	S	S	S
Keyless Start	S	S	S	S	S
Keyless Entry	-	-	-	S	S
Perimeter Alarm	S	S	S	S	S

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 430E	TRANSIT CARGO CHASSIS CAB 430E
Engine & Performance					
Internal Combustion – Diesel					
2.0L TDCi	S	S	-	S	S
Auto-Start-Stop	S	S	-	S	S
Power – Maximum	125kW	125kW	-	125kW	125kW
Torque – Maximum	390Nm	390Nm	-	390Nm	390Nm
Battery Electric Vehicle ¹²					
Power – Maximum	-	-	198kW	-	-
Torque – Maximum	-	-	430Nm	-	-
Estimated Drive Range (WLTP)	-	-	304km	-	-
Rear Mounted Electric Motor	-	-	S	-	-
115kW DC Fast Charging Capability	-	-	S	-	-
Installed Battery Capacity	-	-	75kW	-	-
Usable Battery Capacity	-	-	67kW	-	-
On-Board Charger Input	-	-	11.3kW	-	-
6m Type 2 to Type 2 Charge Cable	-	-	S	-	-
Transmission					
10-speed Automatic	S	-	-	S	S
1-speed CVT	-	-	S	-	-
6-speed Manual	-	S	-	-	-
Ride & Handling					
Brakes					
Front – Dual Circuit Discs w/ Brake Pad Wear Indicator & Self Adjusting Servo-Assistance	S	S	-	S	S
Front – Power Anti-Lock Vented Disc	-	-	S	-	-
Rear – Dual Circuit Discs	S	S	-	S	S
Rear – Power Anti-Lock Solid Disc	-	-	S	-	-
Suspension					
Front – Independent MacPherson Struts, Variable Rate Coil Springs, Stabiliser Bar & Gas Pressured Shock Absorbers	S	S	S	S	S
Rear – Single Leaf Springs, Gas Pressurised Shock Absorbers	S	S	-	S	S
Rear – Heavy Duty Independent Rear Suspension w/ Coil Springs, Semi-Trailing Arm & Stabilizer Bar	-	-	S	-	-
Steering					
Power Assisted Steering	S	S	S	S	S
Reach & Rake Steering Column	S	S	S	S	S
Wheels & Tyres					
Wheel Size	6.5" x 16"	6.5" x 16"	6.5" x 16"	6" x 16"	6" x 16"
Wheel Type	Steel	Steel	Steel	Steel	Steel
Tyre Size	235/65 R16C	235/65 R16C	235/65 R16C	195/75 R16C	195/75 R16C
Tyre Load & Speed Rating	115/113 R	115/113 R	121/119 R	107/105 R	107/105 R
Rear Wheel Configuration	Single	Single	Single	Dual	Dual
Spare Wheel	Steel	Steel	Steel	Steel	Steel
Full Wheel Covers	S	S	S	-	-

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 430E	TRANSIT CARGO CHASSIS CAB 430E
Exterior Features					
Roof Height					
Low Roof	-	-	-	-	S
High Roof	S	S	S	S	-
Styling					
Front Bumper – Partial Body Colour	S	S	S	S	S
Rear Bumper – Plastic	S	S	S	S	-
Wide Bodyside Moulding – Grey	S	S	S	S	S
Mudflaps – Rear	S	S	S	S	-
Roof Mounted Radio Antenna	S	S	S	S	S
Lights					
Automatic Headlamps	S	S	S	S	S
Automatic Highbeam	S	S	S	S	S
Daytime Running Lights – Halogen	S	S	S	S	S
Front Fog Lamps	S	S	S	S	S
Rear Fog Lamps	S	S	S	S	S
Headlights – Halogen	S	S	S	S	S
Headlights – Manual Levelling	S	S	S	S	S
Lights – Side Marker Lamps	-	-	-	S	S
Lights – Roof Marker Lamps	-	-	-	S	S
High Mounted Stop Light w/ LED Downlight	S	S	S	S	-
Visibility					
Mirrors – Heated, Power Adjust, Side Indicators w/ BLIS	S	S	S	S	S
Short Arm Mirrors	S	S	S	S	S
Rain Sensing Wipers	S	S	S	S	S
Tinted Glass	S	S	S	S	S
Stowage & Carrying					
Dual Side Load Doors	S	S	S	S	-
Rear Twin Hinged Doors w/ 180 Degree Opening	S	S	-	-	-
Rear Twin Doors w/ 270 Degree Opening	-	-	S	S	-
Front Tow Hooks	S	S	S	S	-
Interior Features					
Comfort & Convenience					
Air Conditioning – Manual Front w/ Recirculation Heater	S	S	S	S	S
Sensico® Wrapped Steering Wheel	S	S	S	S	S
Floor – Rubber Insulated Easy-Clean Partial Cover	S	S	S	S	S
Front Overhead Lighting	S	S	S	S	S
Load Compartment Lighting	S	S	S	S	-
Power – 12V Auxiliary Power Point	S	-	S	S	-
Electric Windscreen Defroster	S	S	S	S	S
Windows – Power Front w/ One Touch Up & Down	S	S	S	S	S
Mechanical Park Brake	-	S	-	S	S
Electronic Park Brake	S	-	S	-	-
400W/240V Inverter	S	S	S	S	S
2kW Power Inverter	-	-	S	-	-
Front Overhead Console	S	S	S	S	S
Seats					
Front Passenger Dual Fixed w/ Under Seat Stowage Compartment	S	S	S	S	S
Seats – Heated Driver & Front Passenger	S	S	S	S	S
Adjustable 2-way Headrest	S	S	S	S	S
Driver 10-way Power Seat Adjustment	S	S	S	S	-
Driver 4-way Manual Seat Adjustment	-	-	-	-	S
Driver Lumbar Adjust	S	S	S	S	S
Drivers Armrest	S	S	S	S	S
Trim – Ebony Cloth	S	S	S	S	S
Storage					
Multiple Bottle Holders	S	S	S	S	S
Plastic Bulkhead w/ Window	S	S	S	S	-
Door Storage Pockets	S	S	S	S	S
Locking Glove Box	S	S	S	S	-
Load Area Protection Kit (inc. Sealed Load Floor, Full Height Rear Trim Board & Tie Down Loops)	S	S	S	S	-

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 430E	TRANSIT CARGO CHASSIS CAB 430E
12V Auxiliary Power Point	S	-	S	S	-
Load Area Compartment Lamps	S	S	S	S	-
Audio, Communications & Instruments					
8" Semi-Digital Instrument Cluster	S	S	S	S	S
12" Multi-Functional Display Screen	S	S	S	S	S
SYNC® 4 – In Vehicle Communications System Including Bluetooth® ^{5,7}	S	S	S	S	S
Wireless Apple Car Play & Android Auto ⁸	S	S	S	S	S
Digital Owner's Manual	S	S	S	S	S
Connected Satellite Navigation ⁶	S	S	S	S	S
Digital Rear View Mirror 'Smart Mirror' ¹	S	S	S	S	-
FordPass Connect ⁴	S	S	S	S	S
Radio Speakers – 2 Woofers/ 2 Tweeters	S	S	S	S	S
Steering Wheel Mounted Audio Controls ⁷	S	S	S	S	S
2 X USB Ports	S	S	S	S	S
Dimensions & Weights					
Dimensions (mm) ³					
Overall Length	5,981	5,981	5,981	6,704	6,579
Overall Width w/ Mirrors	2,474	2,474	2,474	2,474	2,746
Overall Width w/ Folded Back Mirrors	2,112	2,112	2,112	2,112	2,119
Overall Width w/o Mirrors (SRW / DRW)	2,059 / -	2,059 / -	2,059 / -	- / 2,126	- / 2,111
Overall Height*	2,766 – 2,769	2,766 – 2,769	2,773 – 2,790	2,715 – 2,778	2,182 – 2,215
Ground Clearance at Front Axle	218 – 230	218 – 230	240 – 227	226 – 245	216 – 243
Ground Clearance at Rear Axle	154 – 155	154 – 155	235 – 229	149 – 153	152 – 160
Wheelbase	3,750	3,750	3,750	3,750	3,954
Front of Vehicle to Front Wheel Centre	1,023	1,023	1,023	1,023	1,023
Rear of Vehicle to Rear Wheel Centre	1,208	1,208	1,208	1,931	1,602
Front Track Width (SRW / DRW)	1,732 / -	1,732 / -	1,732 / -	- / 1,740	- / 1,740
Rear Track Width (SRW / DRW)	1,759 / -	1,759 / -	1,759 / -	- / 1,670	- / 1,670
Side Door Entry Width	1,300	1,300	1,300	1,300	-
Side Load Door Entry Height	1,600	1,600	1,600	1,600	-
Rear Door Entry Width	1,565	1,565	1,565	1,565	-
Rear Door Entry Height / Internal Height	1,887	1,887	1,887	1,887	-
Max. Load Space Length (at Floor w/ Bulkhead)	3,533	3,533	3,533	4,217	-
Max Load Space Width	1,784	1,784	1,784	1,784	-
Chassis Frame Length	-	-	-	-	4,149
Load Space Between Wheel Arches (SRW / DRW)	1,392 / -	1,392 / -	1,392 / -	- / 1,154	-
Load Floor to Roof	2,025	2,025	2,025	2,025	-
Loading Height*	691 – 692	691 – 692	721 – 717	691 – 692	722 – 779
Max Load Volume (w/ Bulkhead) (cu.m)	12.4	12.4	12.4	15.1	-
Load Space (w/ Bulkhead) (VDA) (cu.m)	11.5	11.5	11.5	14.1	-
Rear of Cab to Front Wheel Centre	-	-	-	-	1,407
Rear of Cab to Rear Wheel Centre	-	-	-	-	2,547
Vehicle Masses (kg) ²					
Max. Payload	1,140	1,097	1,403	1,630	2,186
Gross Vehicle Mass	3,490	3,490	4,250	4,300	4,300
Kerb Mass in Running Order (Front)	1,377	1,400	1,410	1,350	1,373
Kerb Mass in Running Order (Rear)	973	993	1,437	1,320	741
Kerb Mass in Running Order (Total)	2,350	2,393	2,847	2,670	2,114
Gross Combined Mass	7,000	6,000	N/A	7,000	7,000
Front / Rear Axle Plated Mass	1,750 / 2,250	1,850 / 2,250	1,850 / 2,750	1,850 / 3,300	1,850 / 3,000
Towing Capacity – Maximum (kg) ¹⁰					
Braked	3,500	2,800	N/A	3,500	3,500
Transit Cargo Options					
BEV 12-seat Bus Pack	Not Available	Not Available	Optional	Not Available	Not Available
BEV Mobility Pack	Not Available	Not Available	Optional	Not Available	Not Available

S = Standard

Disclaimers

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible combination of factory fit equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 3. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 4. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.co.nz/FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 5. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 6. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 7. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 8. Apple CarPlay™/Android Auto™ requires compatible phone with compatible version of Apple iOS/Android™(as applicable) and active data service. SYNC does not control Apple CarPlay™/ Android Auto™ while in use. Apple/Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC models and is compatible with select smartphone platforms. 9. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 10. Maximum towing capacity-braked to comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorized Ford Dealer and / or refer to the Owner's Manual. 11. Warranty conditions apply. 5 year/150,000 km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles. For full details please visit our Warranties page at: <https://www.ford.co.nz/owners/warranties> 12. Fuel and Battery Range consumption and emissions as per WLTP3 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel and battery consumption and emissions figures will be achieved in real world driving conditions. Actual fuel and battery consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use.

Choose your colour



Frozen White



Race Red



Magnetic



Blue Metallic



Agate Black



Moon dust Silver



WHICHEVER COMES FIRST



Service Loan Car²



Service Calculator²



Ford Roadside Assistance²



Vehicle Health Report



Genuine Ford Parts



Peace Of Mind Service Inspection

Ford Service Our commitment to you

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Intelligent Oil Life Monitoring System (IOLM). The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service.

1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
2. Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit Cargo Van and Chassis Cab and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand.
Created May 2024, FOR4698



Discover more at ford.co.nz