

E-Transit

2023.50MY



5 YEAR
150,000
KILOMETRE
WARRANTY
WHICHEVER COMES FIRST

420L and 420E Model Shown

Ford



Power you can put to work

The new, full-size, pure-electric **E-Transit** features a 68 kWh usable battery, a driving range of up to 304kms¹, and DC fast-charging capability from 15% to 80% in around 34 minutes². Available from specialised Ford Electric Vehicle dealers, the new E-Transit will help lead the charge in the electrified workforce.

420E Shown in Frozen White and 350L Shown in Moondust Silver




Fast charging

E-Transit features both AC charging and DC fast-charging. The on-board 11.3 kW charger charges E-Transit from 0-100%, in approximately 8 hours.³ Using a 115kW high-power DC fast-charger, E-Transit can top-up the battery from 15% to 80% in around 34 minutes.²

Smart connectivity

Every E-Transit comes fitted with an embedded modem known as **FordPass Connect**.⁴

Once activated, using the FordPass App on your smartphone you can check the battery charge level, distance to empty (km), locate your vehicle and nearby chargers, lock and unlock the doors, and even start the vehicle remotely. A floating 12-inch touchscreen and fully integrated **SYNC® 4**⁵ system, along with **Apple CarPlay™** & **Android Auto™**⁶, keep you fully connected with the world and make E-Transit the ultimate business partner.



Increased power

With an estimated driving range of up to 304kms¹,
E-Transit is perfect for all environments and drive routes.


The peak output of 198kW⁷ and 430Nm⁷ of torque actually
makes it the most powerful Transit currently available.



Uncompromised capability

The E-Transit's intelligently designed battery sits underneath the main body of the electric van to maximise room.

This allows for cargo capacity of up to 15.1 cubic metres⁸ with 420E Van, identical to that of its full-size diesel counterpart. The E-Transit has a gross vehicle mass of 3.5 to 4.25 tonnes⁹, with a payload of 851kg (350L) up to 1,873kg (420E Chassis Cab less tray)⁹.



Cargo capacity of up to 15.1 cubic metres⁸ with 420E Van



Gross vehicle mass of 3.5 to 4.25 tonnes⁹





Driver Assistance

E-Transit is fitted with modern technology designed to help keep you and your workforce safer on the road. Driver Assist Technologies¹⁰ include **Autonomous Emergency Braking with Pedestrian Detection**, **Adaptive Cruise Control**,¹¹ **Blind Spot Monitoring System** and **Intersection Assist**.¹² Navigating tight spaces and crowded parking lots is simple with a Reverse Camera and Front & Rear Parking Sensors.

High Roof option shown

Affordable ownership

Switching to an electric van lets your business take advantage of lower vehicle running costs.


Plus, the E-Transit is covered by our **5 Year/150,000 Kilometre Ford Express New Vehicle warranty**¹³ and the Electrical Drivetrain and Battery components are covered by warranty for 8 years or 160,000km (whichever occurs first).¹³



5 Year / 150,000 Km Warranty¹³



8 Year / 160,000km EV Drivetrain Warranty¹³



2023.50MY E-Transit Cargo Specifications



Dimensions & Weights Dimensions (mm)	350L Van Medium Roof	350L Van High Roof	420L Van Medium Roof	420L Van High Roof	420E Van High Roof	420E Chassis Cab Low Roof
Overall Length	5,981	5,981	5,981	5,981	6,704	6,579
Overall Width w/ Mirrors	2,474	2,474	2,474	2,474	2,474	2,746
Overall Width w/ Folded Back Mirrors	2,112	2,112	2,112	2,112	2,112	2,119
Overall Width w/o Mirrors	2,059	2,059	2,059	2,059	2,059	2,052
Overall Height	2,481-2,565	2,719 - 2,703	2,481-2,565	2,719 - 2,703	2,729 - 2,713	2236 - 2222
Wheelbase	3,750	3,750	3,750	3,750	3,750	3,954
Front of Vehicle to Front Wheel Centre	1,023	1,023	1,023	1,023	1,023	1,023
Rear of Vehicle to Rear Wheel Centre	1,208	1,208	1,208	1,208	1,931	1,602
Front Track Width	1,732	1,732	1,732	1,732	1,732	1,732
Rear Track Width	1,759	1,759	1,759	1,759	1,759	1,759
Side Door Entry Width	1,300	1,300	1,300	1,300	1,300	-
Side Load Door Entry Height	1,600	1,600	1,600	1,600	1,600	-
Rear Door Entry Width	1,565	1,565	1,565	1,565	1,565	-
Rear Door Entry Height / Internal Height	1,648	1,887	1,648	1,887	1,887	-
Max. Load Space Length (at Floor w/ Bulkhead)	3,533	3,533	3,533	3,533	4,256	-
Max Load Space Width	1,784	1,784	1,784	1,784	1,784	-
Chassis Frame Length	-	-	-	-	-	4,149
Load Space Between Wheel Arches	1,392	1,392	1,392	1,392	1,392	-
Load Floor to Roof	1,786	2,025	1,786	2,025	2,025	-
Loading Height	721-717	721-717	721-717	721-717	727-719	680 - 657
Max Load Volume (w/ Bulkhead) (cu.m)	11	12	11	12	15	-
Load Space (w/ Bulkhead (VDA) (cu.m)	10	12	10	12	14	-
Rear of Cab to Front Wheel Centre	-	-	-	-	-	1,407
Rear of Cab to Rear Wheel Centre	-	-	-	-	-	2,547
Vehicle Masses						
Max. Payload	838	794	1,530	1,484	1,298	1,873
Gross Vehicle Mass	3,500	3,500	4,250	4,250	4,250	4,250
Kerb Mass in Running Order (Front)	1,364	1,375	1,387	1,400	1,406	1,335
Kerb Mass in Running Order (Rear)	1,298	1,331	1,333	1,366	1,546	1,042
Kerb Mass in Running Order (Total)	2,662	2,706	2,720	2,766	2,952	2,377
Gross Combined Mass	N/A	N/A	N/A	N/A	N/A	N/A
Front / Rear Axle Plated Mass	1,850 / 2,250	1,850 / 2,250	1,750 / 2,750	1,750 / 2,750	1,850 / 2,750	1,850 / 2,750

Disclaimer: Kerb mass is affected by many factors such as bodystyles, engines and options. It is the weight of a standard-specification base vehicle , including fluids and fuel tank 90% full, but without cargo. Payload within this guide is the difference between gross vehicle mass (GVM) and kerb mass. It must be noted that actual weight will always be subject to manufacturing tolerances which may result in payload variations between this guide and actual weight. For customers intending to load vehicle close to maximum payload, we suggest you also add a margin for error of 5% of kerb mass to the kerb mass figure before calculation, to reduce risk of overloading. NB: It is the responsibility of the vehicle operator to ensure their vehicles are legally compliant for road use.

Choose your colour



	350L Van Medium Roof	420L Van Medium Roof	420E Van High Roof	420E Chassis Cab Low Roof
Driver Assist, Safety & Security ¹⁰				
Airbags - Driver & Front Passenger, Driver & Front Passenger Side Thorax & Side Curtain	S	S	S	S
Pre Collision Assist (AEB with Pedestrian Detection) w/ Junction Assist	S	S	S	S
Reverse Brake Assist	S	S	S	-
Anti-Lock Braking System (ABS), Electronic Brakeforce Distribution (EBD), Electronic Stability Program (ESP), Traction Control System (TCS) & Emergency Brake Assist (EBA)	S	S	S	S
Blind Spot Monitoring System (BLIS) w/ Cross Traffic Alert & Lane Change Warning	S	S	S	-
Intelligent Adaptive Cruise Control w/ Adjustable Speed Limiting Device	S	S	S	S
Hill launch Assist	S	S	S	S
Side Wind Stabilisation Assist	S	S	S	S
Lane Departure Warning w/ Driver Alert System	S	S	S	S
Lane Change Warning + Aid	S	S	S	-
Load Adaptive Control, Roll Over Mitigation, Roll Stability Control, Torque Vectoring Control	S	S	S	S
Beltminder™ Seatbelt System (Driver & Passenger)	S	S	S	S
Front & Rear Parking Sensors	S	S	S	-
360° Camera	S	S	S	-
Reverse Camera Pre Wiring Prep Kit	-	-	-	S
Passive Anti-Theft System (PATs)	S	S	S	S
Keyless Start & Entry (Keyless Entry not available w/ Dual Side Load Doors)	S	S	S	S
Perimeter Alarm	S	S	S	S
Engine & Performance ^{1,2,3,7}				
Battery Electric Vehicle				
Power / Torque – Maximum	198kW / 430Nm	198kW / 430Nm	198kW / 430Nm	198kW / 430Nm
Estimated Drive Range (WLTP)	250KM	304km	284km	236km
115kW DC Fast Charging Capability	S	S	S	S
Installed Battery Capacity	75kW	75kW	75kW	75kW
Usable Battery Capacity	68kW	68kW	68kW	68kW
On-Board Charger Output	10.5kW	10.5kW	10.5kW	10.5kW
On-Board Charger Input	11.3kW	11.3kW	11.3kW	11.3kW
6m Type 2 to Type 2 Charge Cable	S	S	S	S
Ride & Handling				
Brakes				
Front – Power Anti-Lock Vented Disc, Rear – Power Anti-Lock Solid Disc	S	S	S	S
Suspension				
Front – Independent MacPherson Struts, Variable Rate Coil Springs, Stabiliser Bar & Gas Pressured Shock Absorbers	S	S	S	S
Rear – Heavy Duty Independent Rear Suspension w/ Coil Springs, Semi-Trailing Arm & Stabilizer Bar	S	S	S	S
Wheels & Tyres				
Wheel Size	6.5" x 16"	6.5" x 16"	6.5" x 16"	6.5" x 16"
Wheel Type	Steel	Steel	Steel	Steel
Tyre Brand	Michelin	Hankook	Hankook	Hankook
Tyre Size	235/65 R16C	235/65 R16C	235/65 R16C	235/65 R16C
Rear Wheel Configuration	Single	Single	Single	Single
Full Wheel Covers	S	S	S	S
Tyre Load & Speed Rating	115/113 R	121/119 R	121/119 R	121/119 R
Exterior Features				
Roof Height				
Low Roof	-	-	-	S
Medium Roof	S	S	-	-
High Roof	O	O	S	-
Styling				
Front Bumper – Partial Body Colour	S	S	S	S
Rear Bumper – Plastic	S	S	S	-
Wide Bodyside Moulding – Grey	S	S	S	S
Mudflaps – Front & Rear	S	S	S	S

	350L Van Medium Roof	420L Van Medium Roof	420E Van High Roof	420E Chassis Cab Low Roof
Lights				
Automatic Headlamps & Highbeam w/ Manual Levelling	S	S	S	S
Daytime Running Lights – LED	S	S	S	S
Front Fog Lamps	S	S	S	S
Headlights – HID w/ Static Bending	S	S	S	S
Lights – Side Marker Lamps	-	-	S	-
High Mounted Stop Light w/ LED Downlight	S	S	S	-
Visibility				
Mirrors – Heated, Power Adjust, Side Indicators w/ BLIS	S	S	S	-
Short Arm Mirrors	S	S	S	-
Rain Sensing Wipers	S	S	S	S
Tinted Glass	S	S	S	S
Stowage & Carrying				
Kerbside Side Door	S	S	S	-
Dual Side Load Doors	O	O	O	-
Rear Twin Hinged Doors	S	S	S	-
Interior Features				
Comfort & Convenience				
Air Conditioning – Manual Front w/ Recirculation Heater	S	S	S	S
Sensico® Wrapped Steering Wheel	S	S	S	S
Floor – Rubber Insulated Easy-Clean Partial Cover	S	S	S	S
Front Overhead Lighting	S	S	S	S
Load Compartment Lighting	S	S	S	-
Electric Windscreen Defroster	S	S	S	S
Windows – Power Front w/ One Touch Up & Down	S	S	S	S
Electronic Park Brake	S	S	S	S
2.3kW Power Inverter	S	S	S	S
Seats				
Front Passenger Dual Fixed w/ Under Seat Stowage Compartment	S	S	S	S
Seats – Heated Driver & Front Passenger	S	S	S	S
Driver 10-way Power Seat Adjustment	S	S	S	S
Front Passenger 2-way Manual Seat Adjustment	S	S	S	S
Driver Lumbar Adjust	S	S	S	S
Drivers Armrest	S	S	S	S
Trim – Ebony Cloth	S	S	S	S
Storage				
Multiple Bottle Holders	S	S	S	S
Plastic Bulkhead	S	S	S	-
Door Storage Pockets	S	S	S	S
Load Area Protection Kit (inc. Sealed Load Floor, Full Height Rear Trim Board & Tie Down Loops)	S	S	S	-
12V Auxiliary Power Point	S	S	S	S
Load Area Compartment Lamps	S	S	S	-
Audio, Communications & Instruments				
4.2" Cluster Screen	S	S	S	S
12" Multi-Functional Display Screen	S	S	S	S
SYNC® 4 – In Vehicle Communications System Including Bluetooth® ⁵	S	S	S	S
Wireless Apple Car Play & Android Auto ⁶	S	S	S	S
Connected Satellite Navigation ¹⁴	S	S	S	S
Digital Rear View Mirror ‘Smart Mirror’	S	S	S	-
FordPass Connect ⁴	S	S	S	S
Radio Speakers – 2 Woofers/2 Tweeters	S	S	S	S
Steering Wheel Mounted Audio Controls	S	S	S	S
2 X USB Ports	S	S	S	S

S = Standard
O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost



Contact us

If you have any questions or concerns, please contact us on 0800 FORD NZ (0800 367 369).

Discover more at ford.co.nz

1. Based on full charge of E-Transit Van 420L. Estimated range using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown are for comparability purposes and should only be compared with other vehicles tested to the same technical procedures. Actual range varies with conditions such as external elements like temperature, driving behaviours, route profile, vehicle maintenance, and lithium-ion battery age and condition. WLTP Overall Range reflects a combined driving cycle and WLTP Motorway Range reflects motorway driving – both tests are conducted in controlled conditions with an ambient temperature of 23 degrees Celsius and no climate or electrical load. 420L Van/420E Van/420E Chassis Cab fitted with a 90 kmph speed limiter during testing.
2. Indicative charging performance using a DC Fast Charger at 115 kW for E-Transit Van 420L. Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. weather, temperature, driving behaviour, route profile, vehicle condition, age and condition of the lithium-ion-battery and used charging infrastructure). E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger.
3. Indicative AC Charging time quoted is using 3-phase charger at 11kW for E-Transit Van 420L. Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. weather, temperature, driving behaviour, route profile, vehicle condition, age and condition of the lithium-ion battery and used charging infrastructure). E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger.
4. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.co.nz/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings.
5. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates.
6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.
7. Calculated via peak performance of the electric motor(s) at peak battery power. Individual results may vary.
8. Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. Load Area Protection Kit may impact cargo area dimensions and capacities. Dimensions and capacities are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.
9. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options and added structures. GVM must not be exceeded.
10. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information.
11. Adaptive Cruise Control has a minimum operating speed of 30km/hr.
12. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving.
13. Warranty conditions apply. Our warranty does not limit and may not exceed your rights under those guarantees. See <https://www.ford.co.nz/owners/warranties/> for warranty terms.
14. Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date, after which time the service may cease to be available, or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on' to use this feature.

Our Commitment to You

Convenience. Reliability. And no nasty surprises. That’s what service should be. And that’s exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.



Service
Loan Car²



Service
Calculator²



Ford Roadside
Assistance²



Vehicle
Health
Report



Genuine
Ford Parts



Peace Of Mind
Service
Inspection

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. www.ford.co.nz/owners/warranty for further information.
2. Is available at participating Dealers. See www.ford.co.nz/owners/service/ for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your E-Transit and was correct at time of going to print. However, Ford’s policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. June 2023, FOR4568

Discover more at ford.co.nz

